

SMUG

BYTES

PRICE
.75

*
* SMUG BYTES *
* Volume 5, Number 7 *
* JULY 1988 *
*
* Subscriptions= \$10.00/year *
* or free with swap. Send to: *
*
* SINCLAIR MILWAUKEE USERS GROUP *
* P.O. Box 101 Butler, WI 53007 *
*
* ----- *
*
* THIS MONTH: *
*
* - Bill On Mscript. *
*
* - Rudy's "SQ" NOTES *
*
* - Presidents Message *
*
* - And Other Great Things *
*
* - *
*
* If any articles are copied *
* please credit SMUG Bytes *
* ----- *
* NEXT MEETING DATE: 8/10/88 *
* ----- *
* Send all contributions by the *
* first day of the month to: *
*
* Bill Heberlein *
* Editor *
* SMUG BYTES *
* 5052 N. 91st Street. *
* Milwaukee, WI 53225 *
*

*
* 1988 OFFICERS *
* & WORKING *
* MEMBERS *
*
* All Area Codes Are 414 *
* President - N. Schultz *
* - 353 4522 *
* V. Pres. - W. Heberlein *
* - 527 2191 *
* Secretary - L. Dreger, *
* - 321 0694 *
* Treasurer - J. Frohboese *
* - 377 1385 *
* Education - R. Cultice *
* - 542 3591 *
*
* - Librarians *
* Tape/Disk - E. Pawloski *
* - 1 338 0260 *
* Book - D. Nickels *
* - 1 284 9691 *
*
* - Sub Group Leaders *
* Games - N. Schultz *
* - 353 4522 *
* Meeting on 3rd Sat. of the month. *
* Hardware - G. Kraemer *
* - 421 0179 *
* No set date. Call for info. *
* Spectrum - R. Hilsmann *
* - 251 5291 *
* Meeting on 3rd Wed. of the month. *
* RP/M - R. Cultice *
* - 542 3591 *
* Meeting on 4th Wed. of the month. *
* QL - R. Hilsmann *
* - 251 5291 *
* Meeting date see Spectrum group. *

(NOTE NEITHER ANY AUTHOR OR SMUG BYTES TAKES ANY RESPONSIBILITY FOR ANY HARDWARE MODIFICATIONS TO YOUR EQUIPMENT.)

FROM THE PRES.

Well here is the latest information: Check our advertisers and mention SMUG Bytes. Bill picked up a used TS2068 from them for only \$40. They also have a few TS1000's for sale. Besides hardware they have some software and books. If you read the latest E. Arther Brown flyer then you know there is not one mention of Timex/Sinclair in it. Seems like vendors are leaving the fold, our loss but theres also, and going into more profitable? sales. A note for all you 3 1/2" disk users; price is goin up. The generic are up to \$1.40 each at G & K, when they have them.

What has happend to AERCO? They have not upgraded the disk interface to handle a full Spectrum emulator nor anything else.

To all you hardware hackers out there; Has anyone got the NMI working with the AERCO disk drives? I hate this tape loading. Or can I get a disk interface that will allow me to read an Oliger disk with my AERCO system I would like to load my tapes in with Oliger, save them to disk, and be able to read the disk on my AERCO system.

Review of the Sat. JULY 9, SMARC SWAFFEST88. Both Bill and myself attended and sold stuff, but not enough to pay for the stuff we bought. We saw Dennis, both Ed's, Poncho, Gordy and Dick.

* CATALOG * NOW * AVAILABLE!! *

OUR NEW CATALOG IS READY!!
WE WANT YOU TO HAVE YOUR COPY!

OUR NEW CATALOG IS BIGGER AND BETTER THAN EVER!
WE'VE ADDED NEW PRODUCTS IN ALL OF OUR OLD LINES
AND ARE ADDING NEW LINES OF MERCHANDISE.

OUR OLD LINES INCLUDE:
TS 2068 & TS 1500 & TS 1000/ZX81 & QL

OUR NEW LINES INCLUDE:
COMPUTER FORMS & PAPER PRODUCTS & DISK DRIVES
DISK DRIVE CASES & POWER SUPPLIES & DISK DRIVE CABLES
BLANK DISKS & BLANK VIDEO TAPES & CB RADIOS
MUCH MORE TO COME!!

BECAUSE OF THE HIGHER COSTS OF PRODUCING AND MAILING A NEW CATALOG, WE ARE FORCED TO ASK, THAT, IF YOU ARE A SERIOUS CUSTOMER, AND WOULD LIKE TO RECEIVE ONE OF OUR NEW CATALOGS, YOU SEND US \$3.00 TO COVER THESE COSTS. IN RETURN, WE WILL DEDUCT THE \$3.00 OFF YOUR FIRST REGULAR ORDER! THAT WAY YOU DON'T ACTUALLY LOSE ANYTHING AND HAVE A LOT OF SAVINGS TO GAIN!

JUST SEND US YOUR NAME AND COMPLETE ADDRESS ALONG WITH YOUR CHECK OR MONEY ORDER FOR \$3.00 TO THE ADDRESS BELOW! DON'T MISS OUT! ORDER TODAY!

WE WANT TO SERVE YOUR NEEDS! IF THERE IS SOMETHING THAT YOU WOULD LIKE TO SEE US CARRY, LET US KNOW! MAYBE WE CAN HELP!

RMG ENTERPRISES

1419 1/2 7TH STREET
OREGON CITY, OR 97045
503/655-7484

10 AM TILL 10 PM TUE-SAT

"SQ" NOTES BY R.A.HILSMANN

Another look back at one of the programs you have found here in SMUG BYTES. This time the RECOVER program will be updated. As I mentioned before, "Haste makes waste", this is still another good demonstration of it.

When I looked at the program at the time I thought it was ready for this column, I figured I covered it all, but I forgot to consider the folks with single sided drives. Sorry about that. This new version will take care of it, and cover some more quirks the old program had. This version will restore a disk so that it can be used again, of course you would loose any disk-space which has exited into another computer world, but if there is any disk-space left on the disk, one could again save/ to it.

Another area has been covered by John Dliger in his latest version of his operating system, namely an ERASE feature. If you have a corrupted program on the disk, you could either try to save that portion which is still intact with this program, or erase it from the disk using his new version.

What is RECOVER really designed to do, you may ask? Its major function is to restore the disk directory ones corrupted by either an accidental format process, which you have stoped just in time to leave some or all data otherwise intact, or if you have a bad program, which includes data as variables saved along with the program, you may now recover such variable data seperately. Maybe, it should work to some degree at least, even save uncorrupted portions of a program. How much good this would do is just speculation, but what does one have to loose? I am sure someone will try it in time.

1 REM FILL THIS LINE WITH
1 SPACES
2
3
TO HERE>4

```

4 GO TO 10
5 BEEP .08,35: RETURN
10 REM
*****
* DISK RECOVER PROGRAM 1.3 *
* FOR SAFE DOS (SDOS) *
* ©1988 IMPEX SOFTWARE *
* FOR PUBLIC DOMAIN *
* BY R.A. HILSMANN *
*****

15 LET A=0: PAPER A: INK 9: BO
RDER A: CLS : DIM A$(5121): DIM
B$(16): DIM C$(168,20): LET D$="
": LET FL=A: LET O=A: LET T=10:
LET BP=5: GO SUB BP: PRINT AT T
,O:"Answer a few questions below

20 INPUT "Do you need to creat
e a new DiskDirectory on the dam
aged disk ?"" (Yes/No)";Q$:
IF Q$="n" OR Q$="N" THEN LET FL
=1

25 INPUT "Are your drives doub
le sided"" (Yes/No) ";S$: LET K
=CODE S$: IF K>96 THEN LET K=K-3
2: LET S$=CHR$ K

30 CLS : GO SUB BP: PRINT AT T
,O:"Insert disk into drive of yo
ur choice and enter drive numbe
r below."

40 IF NOT FL THEN PRINT "Disk
will be processed to receive a
temporary directory"
50 GO SUB BP: INPUT "WHICH DRI
VE ?? (1 TO 4) ";K: LET /D=K-1
60 IF NOT FL THEN GO SUB BP: I
NPUT "ENTER NEW DISK NAME >";B$
70 IF NOT FL THEN CLS : GO SUB
BP: PRINT AT T,O:"DISK WILL BE
PROCESSED NOW""PRESS ENTER WHE
N READY": PAUSE 0
80 CLS : GO SUB BP: PRINT AT T
,7: FLASH 1:"one moment please!"
: FOR /1 TO 167: LET C$(A,1 TO 1
0)="CYL # "+STR$ A+ " ": LET C$
(A,11 TO )=CHR$ 3+CHR$ 0+CHR$ 20
+"Vh CLS "+CHR$ 24+CHR$ 0+CHR$ 0
+CHR$ 1
90 IF A=1 THEN LET C$(A,19)=CH
R$ 1
100 NEXT : LET K=1: GO SUB 150
105 IF CODE S$<88 THEN GO TO 12
5
110 FOR X=2 TO 167 STEP 2: LET
C$(X,18)=CHR$ K: LET C$(X+1,18)=
CHR$ K: LET K=K+1: NEXT X
120 FOR X=3 TO 167 STEP 2: LET
C$(X,19)=CHR$ 255: NEXT X: GO TO
130
125 FOR X=1 TO 167: LET C$(X,18
)=CHR$ K: LET C$(X,19)=CHR$ 0: L
ET K=K+1: NEXT X
130 LET C$(168,1)=CHR$ 128: IF
FL THEN GO TO 190
140 GO TO 180
150 RESTORE 160: FOR X=26715 TO
26834: READ A: POKE X,A: NEXT X
: RETURN

```



```

160 DATA 205,10,0,237,176,205,1
42,10,223,42,75,92,17,19,20,25,1
7,16,38,1,16,0,24,232,42,75,92,1
7,43,20,25,17,32,38,1,13,13,24,2
17,42,75,92,17,12,0,25,17,0,62,1
0,20,237,176,201,42,75,92,17,12
0,25,1,0,20,62,229,237,161,32,2
52
170 DATA 237,161,32,248,237,161
200,24,243,42,75,92,17,11,20,25
1,0,20,62,13,237,169,200,24,251
42,75,92,17,11,20,1,0,20,25,62,
229,237,169,40,252,62,0,237,169,
192,24,251
180 RANDOMIZE USR 26739: RANDOM
IZE USR 26724
190 LET DR=0: LET PR=0: LET LEN
GTH=0: CLS : GO SUB BP: PRINT AT
5,0;"DAMAGED DISK WILL BE CHECK
ED FOR INTACT DATA NOW, PLEASE
FOLLOW THE PROMPTS""PRES
S ENTER WHEN READY": PAUSE 0: LE
T NEXT=1
200 ON ERR GO TO 290
210 GO SUB 470: LET Z=Z+12: FOR
X=NEXT TO 167: LET FL=1: LET CY
L=X: PRINT AT 0,25;"CYL ";X: LET
D$="CYL # "+STR$ X: LOAD /D$COD
E Z: IF CODE A$(1)=229 AND CODE
A$(5120)=229 THEN GO SUB BP: LET
FL=0: CLS : PRINT AT T,0;"CYLIN
DER ";X;" IS NOT RECOVERABLE""
OR THIS IS THE END OF DATA ON
THIS DISK""PRESS ZERO (0) TO R
ESTORE DISK OR EXIT PROGRAM""
OR ANY OTHER KEY TO CONTINUE ":
PAUSE 0: IF INKEY$="0" THEN GO T
O 490
220 IF NOT FL THEN NEXT X
230 CLS : GO SUB BP: PRINT AT T
0;"CYLINDER ";X;" IS LOADED NOW
""PRESS KEY TO VIEW DATA ": PA
USE 0
240 CLS : RANDOMIZE USR 26754:
GO SUB BP: PRINT AT 20,0; INVERS
E 1;"PRESS (P) TO VIEW IN DATA F
ORMAT ONE (1) TO VIEW NEXT CYLIN
DER ";#0;"PRESS ZERO (0) TO RES
TORE DATA ": PAUSE 0: IF INKEY$=
"1" THEN GO TO 280
250 IF INKEY$="P" OR INKEY$="p"
THEN LET FL=0: CLS : PRINT #0;"
PRESS ZERO (0) TO RESTORE DATA "
: FOR S=1 TO 5120: ON ERR GO TO
300: PRINT A$(S);: IF INKEY$="1"
THEN GO TO 280
260 IF INKEY$="0" THEN GO TO 31
0
270 IF NOT FL THEN NEXT S
280 LET FL=0: NEXT X: STOP
290 ON ERR RESET : NEXT X
300 IF NOT FL THEN ON ERR RESET
: NEXT S
310 ON ERR RESET : LET FL=0: CL
S : GO SUB BP: PRINT AT 3,0;"WHA
T KIND OF DATA IS IT ?""(1) BA
SIC""(2) NUMERIC DATA ""(3) ST
RING DATA ""(4) MACHINE CODE ""
""(5) STATE OF MACHINE""(6) VARI
ABLES""(7) PART OF PREVIOUS DAT
A ""(8) RESTORE PREV. DATA SEPE
RATELY": LET P=K: INPUT K: IF K=
8 THEN LET FL=1: LET K=P
315 IF K<7 THEN LET LENGTH=0: L
ET PROG=0: LET CL=1: IF NOT FL T
HEN LET DR=DR+1

```

```

318 IF FL THEN LET X=X-1: PRINT
AT 0,25;"CYL ";X: GO SUB 470: L
ET Z=Z+12: LET D$="CYL # "+STR$
X: LOAD /D$CODE Z
320 IF K=5 THEN GO TO 400
325 IF P<7 AND K=7 THEN LET PR=
P
330 CLS : LET A=USR 26770: LET
A=5120-A
340 IF A>0 THEN PRINT "" TOTAL
BYTES SAVED=";A+LENGTH: GO TO 3
60
345 IF FL THEN GO TO 360
350 IF NOT FL AND A<=0 THEN LET
CL=CL+1: PRINT AT 0,25;"CYL ";X
+1: LET LENGTH=LENGTH+LEN A$-1:
LET X=X+1: GO SUB 470: LET Z=Z+1
2: LET D$="CYL # "+STR$ X: LOAD
/D$CODE Z: GO TO 240
360 IF PR AND K=7 THEN LET K=PR
: LET PR=0
370 IF K=1 THEN LET N=USR 26795
: PRINT ""PROGRAM LENGTH=";N+LE
NGTH+1;" BYTES": LET PROG=N+LENG
TH+1: GO TO 400
380 IF K>1 THEN LET N=USR 26812
: PRINT ""DATA LENGTH=";N+LENG
TH+1;" BYTES": LET PROG=N+LENGTH
+1: GO TO 400
390 NEXT N: STOP
400 LET D$=CHR$ (K-1): IF K=1 T
HEN LET D$=D$+CHR$ (PROG-256+INT
(PROG/256))+CHR$ (INT (PROG/256
))+CHR$ 0+CHR$ 64+CHR$ (PROG-256
+INT (PROG/256))+CHR$ (INT (PROG
/256))+C$(CYL,18 TO 19)+CHR$ CL:
LET C$(DR,11 TO 20)=D$: LET NEX
T=CYL+CL
410 IF K=2 OR K=3 OR K=4 OR K=6
THEN LET D$=D$+CHR$ (PROG-256+I
NT (PROG/256))+CHR$ (INT (PROG/2
56))+CHR$ 0+CHR$ 128+C$(CYL,16 T
O 19)+CHR$ CL: LET C$(DR,11 TO 2
0)=D$: LET NEXT=CYL+CL
420 IF K=5 THEN LET D$=D$+CHR$
0+CHR$ 194+CHR$ 0+CHR$ 62+CHR$ 2
30+CHR$ 4+C$(CYL,18 TO 19)+CHR$
T: LET C$(DR,11 TO 20)=D$: LET C
L=T: LET NEXT=CYL+CL
425 IF FL THEN GO TO 510
430 GO SUB 500: GO TO 200
440 LET DR=DR+1: LET C$(DR,1)=C
HR$ 128
450 RANDOMIZE USR 26739: CAT
460 STOP
470 LET Z=PEEK 23627+256*PEEK 2
3628: RETURN
480 GO TO 5
490 ON ERR RESET : IF CYL>0 THE
N CLS : PRINT AT T,0;"DO YOU WIS
H TO HAVE DIRECTORY RESTORED ?
(Y/N)": PAUSE 0: IF INKEY$="Y"
OR INKEY$="y" THEN GO TO 440
495 STOP
500 GO SUB 480: PRINT #0;"PRESS
ANY KEY TO CONTINUE ": PAUSE 0:
RETURN
510 LET FL=0: CLS : PRINT AT T,
0;"LOADING LAST DATA VIEWED": G
O SUB 500: GO TO 200

```



Thats all folks! Now if you have never entered the program, just do it. For those who have entered it previously, you may just update the program line by line. I dont know which would be easier. Now as how to to use the RECOVER program?

Practice makes perfect! Copy a disk with data on it, then CAT the disk using; OPEN# 2,"P", this will dump the catalog to the printer. Dont forget to CLOSE# 2, after your done. This printout will help you when restoring the disk. Load RECOVER, and insert the copied disk into a drive, run the program following the prompts.

After the first CYL has loaded, press <enter> as prompted, and since you know whats on the disk, press "0" to recover! This will get you to a menu, which will ask you what type of data it is, just enter the number for the type data, even if the program is larger than 1 cyl.

Now load the next cylinder, press "0" again, and if the next cylinder was part of the first section, enter "7" for "Part of previous data". Naturally you should perhaps have a look at the data as it is loaded, so that you will recognize data like it in the future.

After you have stepped through all the data on the disk you will be asked if you wish to restore the directory, enter "Y" for yes, and the new directory should be on the disk now, the program will catalog the disk now, to make sure.

Program names will be CYL # 1 etc. just change the names using RESTORE/ "CYL # 1" to "NEW NAME". After you'r done the disk should be restored to its previous state.

As the program loads individual cylinders the program will display in the upper right corner of the screen "CYL #", where # is the number of the cylinder being loaded. This is it, nothing to it.

Now something else, sometime in the past I said; "I used all the memory up in the MENU LOADER!" You did not really believe me, did you? Well here is the latest version, it features PAGING, forward and backwards, now don't you think this calles for a reprint?

That's what Bud Dankert thought at least, he came over the other day and probably thought he did not see right when he looked at the screen. I think this should do it for a while though, geeez there is only so much a guy can do with 1.4K "Write it all in machine code"!!?? come on guys, remember the days of the ZX81 or the 1000? How much time we spend then to load a program!

How fast one forgets! "The good old days", wonder if there is still someone out there using the darn thing? By the way, my thanks to all the readers of SMUG BYTES for all the nice letters you had send me. It really encourages a guy to keep on writing. This Newsletter must really get around, I get mail from all corners of the US. Keep it up, I like it.

While your at it though, give me some hints of what kind of articles or software you would like to see here, one of these days I will run out of ideas, most unlikely the XYL would probably say. Oh, "XYL" stands for "ex young lady", that's what we call wives in Amateur Radio Circles ("Ham Radio" for all of you who don't know what Amateur Radio means), just kidding.

Well this should be it, hope all of you don't mind a few reprints? For the next issue of this Newsletter I hope to have VU-Calculator ready, almost forgot about that one. Hope it is still worth the effort, I have the feeling everybody is in to QL'ing nowadays.

Have fun your #3 (Rudy).

```

15>REM IMPEX1.9
20 CLEAR : LET A=NOT PI: LET B
=A: LET C=A: LET D=A: DIM A$(VAL
"179",VAL "20"): DIM B$(VAL "32
"): DIM C$(VAL "608"): LET D=A:
INK VAL "9": PAPER SGN PI: BORDE
R SGN PI: CLS : LET E=PEEK VAL "
23635"+VAL "256"*PEEK VAL "23636
"+VAL "5": LET F=USR E: LET D$="
LINE DATA DATA CODE ABS VAL "
PRINT "DISK NAME: ";A$(VAL "178
")'CODE A$(VAL "179",VAL "1");"
TRKS, ";CODE A$(VAL "179",VAL "2
");" SIDES=";CODE A$(VAL "179",V
AL "3")+VAL "5";"K FREE ";CODE
A$(VAL "179",VAL "5")+VAL "5";"K
-----
": LET I=VAL "2": GO TO VAL "
40"
30 POKE 32768,K-256*INT (K/256
): POKE 32769,INT (K/256): RETUR
N
40 IF I=2 THEN BEEP .08,35: LE
T J=SGN PI
50 PAUSE VAL "2": LET G=INT PI
: LET H=0: IF F-I>=VAL "18" THEN
"LET J=J+VAL "19": GO TO VAL "70
60 LET J=F+SGN PI
70 LET K=PEEK 32768+256*PEEK 3
2769: FOR /I TO J
80 RANDOMIZE USR (E+64): PRINT
AT G,0;A$(A-1, TO 10);TAB 14;D$
(B+1);TAB 21: IF NOT B AND D>1E
4 THEN PRINT 0: GO TO 100
90 PRINT D;
100 PRINT TAB 26;",";C: LET G=G
+1: IF H THEN RETURN
110 NEXT : PRINT #0;AT 0,0;"
ENTER -> CURSOR -> ANY KEY ->
END -> FORWARD -> -> -> SAC -> -> ->
GO SUB 30: GO SUB 140
120 IF A-1<=F THEN LET I=A
130 GO TO 40
140 LET G=3: LET H=1: FOR /I TO
J: PRINT AT G,0; PAPER 5; OVER
1;B$: PAUSE 0: LET Q=CODE INKEY$
: IF Q=13 THEN GO TO VAL "190"
145 IF Q=49 THEN LET K=K+VAL "3
80": GO TO VAL "200"
150 PRINT AT G,0; INVERSE 0;B$:
GO SUB 80
155 IF Q=50 AND J>VAL "20" THEN
LET K=K-VAL "380": LET J=J-VAL
"20"-(J-I): GO TO VAL "200"
160 NEXT
170 PRINT AT 3,0;C$: IF A>F THE
N RANDOMIZE USR E: LET I=VAL "2"
: LET A=I: GO TO VAL "40"
180 RETURN
190 LET L$=A$(A-SGN PI, TO VAL
"10"): GO SUB VAL "190"+CODE A$(
A-SGN PI,VAL "11")+SGN PI
191 LOAD /L$: STOP
192 LOAD /L$ DATA A(): STOP
193 LOAD /L$ DATA B$(): STOP
194 LOAD /L$CODE : STOP
195 LOAD /L$ABS
196 LOAD /L$VAL : STOP
200 LET A=J+SGN PI: GO SUB VAL
"30": GO SUB VAL "170": GO TO VA
L "120"

```



"Then when he empties the in-basket, he's rewarded with a paycheck. ."

Bill on Mscript

This time I will give a little dissertation on the second menu in Mscript. To get to the second menu you must press the Symbol Shift key and the Break key (at the upper and lower case DO make a difference. When all the pages are scanned the cursor will be returned at the first occurrence. To find the next occurrence hold the Symbol Shift, Caps Shift and F keys. The FIND will go to the next occurrence. Now for the CHANGE verb. This will change all occurrences of the parameter used in the FIND done just previously to the new parameter used in the CHANGE.

Beware this is very powerful and may change more than you want. If you need to use the space within the CHANGE then go ahead and use it. For example you wish to change all occurrences of xX Yy to XX YY. First go to the sub menu and enter fxX Yy then press the ENTER key. Mscript will return to the first occurrence of xX Yy. Now return to the sub menu and enter cXX YY and press the ENTER key. All occurrences of xX Yy are now changed to XX YY. Try it. One thing to remember is this is the way Mscript works with the AERCO version from Jack Dohany. If you are not sure of a spelling at each occurrence enter anything unusual like XXX. Then when you are all done just change XXX to the correct spelling.

GK ENTERPRISES

Your Computer Supply Source

No need to wait for a sale.

Our prices are low everyday

Wide selection of printer ribbons

AXIOM

C. ITOH

EPSON

OKIDATA

PANASONIC

STAR

AND MANY MORE.

SHUG SPECIAL

2700 sheets 9 1/2 x 11 20# Microperf \$23.50

* 546-0111 *

8634 W. National Avenue West Allis WI 53227



2nd 
BYTES

The new
Computer Store
For Not-So-New
computers

- * SAVE THE HASSLE. have 2nd BYTES sell your
" unused " computer, peripherals and software
- We are in the Business to sell your computer.
- * SAVE MONEY. buy your computer, peripheral and
software at 2nd BYTES.
- * SAVE TIME. have our professional consultants
assit you in finding the computer and the
programs for your needs.
- We are in the business to help you select an
inexpensive system.
- * WARRANTY. on almost all equipment we sell.
- We service what we sell

774-1155

9721 W. Greenfield Ave. West Allis, WI 53214